

Sri V. VENKATAPPA.—It does not arise out of this question.

ಶ್ರೀ ಕೆ. ಪುಟ್ಟಸ್ವಾಮಿ.—ಕಟ್ಟಡ ಕಟ್ಟಬೇಕೆಂದು ಶಂಕುಸ್ಥಾಪನೆ ಮಾಡಿ ಎಷ್ಟು ವರ್ಷವಾಯಿತು?

ಶ್ರೀ ವಿ. ವೆಂಕಟಪ್ಪ.—1949ರಲ್ಲಿ ಶಂಕುಸ್ಥಾಪನೆ ಯಾಗಿದೆ ಎಂದು ನಾನು ಹೇಳಿದ್ದೇನೆ.

ಶ್ರೀ ಟಿ. ಎನ್. ಮೂಡಲಗಿರಿಗೌಡ.—ಶೀಘ್ರವಾಗಿ ಕಟ್ಟಡ ಕಟ್ಟುವದಕ್ಕೆ ಸರ್ಕಾರದವರು ಬಡ್ಡೆಟ್‌ದಲ್ಲೆ allot ಮಾಡಿ ಹಣ ಒದಗಿಸದೇ ಹೋದರೆ ಮುಂದೆ ತೊಂದರೆಯಾಗುವದಿಲ್ಲವೇ ಸ್ವಾಮಿ?

ಶ್ರೀ ವಿ. ವೆಂಕಟಪ್ಪ.—ಅದು ಸರ್ಕಾರದ ಕೆಲಸವಲ್ಲ. ಅದನ್ನು ಯೂನಿವರ್ಸಿಟಿಯವರು ಮಾಡಬೇಕು. ನಿಧಾನ ಮಾಡದೆ ಅದಷ್ಟು ಜಾಗೃತ ಮಾಡಬೇಕು ಎಂದು ಹೇಳಿದೆ.

ಶ್ರೀ ಎನ್. ಜಿ. ನರಸಿಂಹೇಗೌಡ.—ತುಮಕೂರು ಕಾಲೇಜು ಬಡಾವಣೆ ಮಾಡುವುದು ಯೂನಿವರ್ಸಿಟಿ ಸಿಂಡಿಕೇಟಿಗೆ ಸೇರಿದ ವಿಷಯವೋ ಅಥವಾ ಸರ್ಕಾರದ್ದೋ?

ಶ್ರೀ ವಿ. ವೆಂಕಟಪ್ಪ.—ಬಡಾವಣೆ ಪ್ರಶ್ನೆ ಈಗ ಇಲ್ಲಿ ಇಲ್ಲ.

ಶ್ರೀ ಟಿ. ಹನುಮಯ್ಯ.—ಇಲ್ಲಿ ಎಷ್ಟು ಭಾಗಕ್ಕೆ ಫಸ್ಟ್‌ಗ್ರೇಡ್ ಕಾಲೇಜು ಕೊಟ್ಟಿದ್ದೀರಿ?

ಶ್ರೀ ವಿ. ವೆಂಕಟಪ್ಪ.—ಅದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟ ವಿವರ ನನ್ನ ಹತ್ತರವಿಲ್ಲ.

ಶ್ರೀ ಸಿ. ಜೆ. ಮುಕ್ಕಣ್ಣಪ್ಪ.—ನೀಟು ಸಿಕ್ಕದಿರುವ 174 ಮಂದಿ ಪೈಕಿ ಎಷ್ಟು ಹೆಣ್ಣು ಮಕ್ಕಳಿದ್ದಾರೆ?

ಅಧ್ಯಕ್ಷರು.—ಅದು ಬಹಳ ತಪಶೀಲಾಯಿತು.

Increasing the Capacity of Masur Tank.

Q.—1791. Sri G. B. SHANKAR RAO (Hirekerur).—

Will the Government be pleased to state:—

(a) the capacity of the Masur tank (popularly known as the Madag tank) in Hirekerur taluk of the Dharwar District;

(b) whether they propose to increase the capacity of the said tank so as to give irrigation facilities to the major portion of the southern division of Dharwar District;

(c) whether there is any proposal to extend the right bank canal of the Kumadvati flowing from the said tank to extend irrigation facilities to the lands lying up to Tumminakatti?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public works).—

(a) 54.63 M. Cft.

(b) Yes; it is possible to increase the storage capacity of the tank for affording irrigation facilities to about 20,000 acres of land lying in the South-East corner of Dharwar District.

(c) Yes.

Sri G. B. SHANKAR RAO.—With reference to answer to (b), what would be the increase in the storage capacity?

Sri H. K. VEERANNA GOWDH.—That can be increased by raising the waste weir up to 55 feet.

Sri G. B. SHANKAR RAO.—What is the increase in the capacity?

Sri H. K. VEERANNA GOWDH.—It depends upon the height of the waste weir.

Sri G. B. SHANKAR RAO.—What is the proposed extension of the right bank canal?

Sri H. K. VEERANNA GOWDH.—There is a proposal to extend it by another ten miles.

Sri G. B. SHANKAR RAO.—What would be the approximate cost of the extension of the right bank canal?

Sri H. K. VEERANNA GOWDH.—Figures are not available.

Police Staff posted in Hassan District in connection with Prohibition work.

Q.—6. Sri B. N. BORANNA GOWDA (Belur).—

Will the Government be pleased to state:—

(a) the number of policemen including Daffedars and Sub-Inspectors that were posted in connection with the prohibition work in the prohibited area of Hassan District;

(b) since how long these officers and policemen are in this area;

(c) the special training given to these officers in connection with prohibition work?

A.—Sri MOHAMED ALI (Minister for Excise and Rural Industries).—

(a) One Sub-Inspector, Six Daffedars, and Thirty-six Police Constables.

(b) Vide statement appended.

(c) No special training is given.